New products 2018 Engineered wood flooring



Engineered wood flooring – the timeless classic

Engineered wood flooring is the classic among floor-coverings – being both timeless and modern, its material quality represents a natural and pleasant living experience. The wide variety of designs and formats allow for personalised floor design. Parador engineered wood flooring is highly durable, creates a positive indoor climate, is warm underfoot and has considerable charisma.

The Basic, Classic and Trendtime product lines offer engineered wood flooring for every requirement, turning individual living dreams into reality. With the intelligent click system, you can quickly and effortlessly benefit from this timeless "Made in Germany and Austria" classic.



Engineered wood flooring facts and figures

Design

102 decors

6 surface structures

5 assortments

Healthy living

The production of environmentally friendly products is a key concern for us and is firmly anchored in our corporate philosophy. Our floors promote healthy living, are low-emission and create a pleasant living environment. We mainly use natural raw materials which are subject to constant review.

Independently tested quality

















We produce in our own timber flooring plant in the Austrian town of Güssing at the EEE (European centre for renewable energy) – in a modern, sustainable way to conserve natural resources.

Engineered wood flooring Function and technology



Automatic-Click® system with long-side and end-joint locking.



Swell protection

All-round lamella and top layer impregnation.



Allround-Click® system without the need for left and right-hand tongues.



Underfloor heating
Suitable for installation on underfloor heating.



Individual look thanks to craftsmanship surface treatment.

















High quality lacquers give the wood a matt or silky gloss finish. The alternative treatment with natural oil reinforces the natural character of the wood.

Engineered wood flooring Function and technology



4-sided bevel / mini bevel

The long and end edges bevelled on four sides stress the naturalness of the wood flooring, whose every plank is accentuated by the mini 4-V bevel, while the 4-V bevel provides more emphasis.



Without bevel

In the case of the classic laying, the planks connect without any clearly recognisable spaces. The harmonious image of the floor creates a closed overall impression.

Engineered wood flooring Function and technology



Guarantee

Basic 11-5: 10 years

Classic 3060, Trendtime: 25 years

Engineered wood flooring Function and technology



- 1 Top layer
 Untreated, lacquer or natural
 oil solid wood
- 2 Spruce pine middle layer excellent shape stability even under the most demanding conditions
- 3 Counter layer high shape and dimensional stability
- 4 Click connection custom-fit and connection stable

Basic

Product advantages



Natural product – each plank is unique



Durable and dimensionally stable



Suitable for everyday use and easy care



Pleasant and warm underfoot



Impregnation for enhanced swell-protection



Suitable for underfloor heating





Automatic Click® System





PARADOR


3-strip (L 2200 x W 185 x H 11.5 mm)














^{*}Recommended moulding decor





















3-strip (L 2200 x W 185 x H 11.5 mm)


Knotty oak Rustikal 1518245 Oak E 001*







*Recommended moulding decor






















PARADOR


Wide plank (L 2200 x W 185 x H 11.5 mm)














*Recommended moulding decor

Oak E 002*

**Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel




(

lacquer


















PARADOR

Extra-sized wideplank (L 2380 x W 233 x H 11.5 mm)










^{**}Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel


















Product advantages



Natural product – each plank is unique



Durable and dimensionally stable



Suitable for everyday use and easy care



Pleasant and warm underfoot



Impregnation for enhanced swell-protection



Suitable for underfloor heating





Automatic Click® System





PARADOR


3-strip (L 2200 x W 185 x H 13 mm)














^{*}Recommended moulding decor























PARADOR


3-strip (L 2200 x W 185 x H 13 mm)














^{*}Recommended moulding decor






















PARADOR


3-strip (L 2200 x W 185 x H 13 mm)




















*Recommended moulding decor






















PARADOR


Wide plank (L 2200 x W 185 x H 13 mm)




















*Recommended moulding decor

**Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel



lacquer


















PARADOR


Wide plank (L 2200 x W 185 x H 13 mm)




















*Recommended moulding decor

**Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel



untreated




















PARADOR


Wide plank (L 2200 x W 185 x H 13 mm)




















*Recommended moulding decor

**Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel






















PARADOR


Wide plank (L 2200 x W 185 x H 13 mm)

















*Recommended moulding decor

^{**}Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel



lacquer














Product advantages



Natural product – each plank is unique



Durable and dimensionally stable



Suitable for everyday use and easy care



Pleasant and warm underfoot



Impregnation for enhanced swell-protection



Suitable for underfloor heating



Automatic Click® System





Allround-Click® System





PARADOR


Strip/herringbone installation (L 570 x W 95 x H 10.5 mm)

















*Recommended moulding decor

**Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel



untreated

lacquer


















PARADOR


Wide plank (L 2010 x W 160 x H 13 mm)

















- *Recommended moulding decor
- **Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel























3-strip / Wide plank (L 2200 x W 185 x H 13 mm)










- *Recommended moulding decor
- **Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel






















PARADOR


Wide plank (L 1882 x W 190 x H 15 mm)




















*Recommended moulding decor

**Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel




untreated

lacquer


















Wide plank (L 1882 x W 190 x H 14 mm)











- *Recommended moulding decor
- **Bevel design: 4V = all-round bevel, M4V = 4-sided mini bevel




















Chevron (L 2380 x W 233 x H 15 mm)









^{*}Recommended moulding decor



















Engineered wood flooring Product range

Overview of the range				Basic	Classic	Trendtime				
Range				Basic 11-5	Classic 3060	Trendtime 3	Trendtime 4	Trendtime 6	Trendtime 8	Trendtime 9
	-	Grade		Natur, Classic, Rustikal	Select, Natur, Living, Rustikal	Living	Natur, Living	Living	Classic + +	Classic +
	Surface finish									
	Plank look		1 3-strip 2 Wide plank 3 Extra-sized wideplank 4 Strip (herringbone installation) 5 Chevron				2	1 2	2	
	Groove pattern		4-sided mini bevel (M4V)	✓		✓	~			✓
			4-sided bevel (4V)				~	✓	~	
Quality	Guarantee	25 years		10 years	25 years	25 years	25 years	25 years	25 years	25 years
Tech- nology	Format			(1,2) 2200×185 mm (3) 2380×233 mm	2200×185mm	570×95 mm	2010×160mm	2200×185 mm	1882×190 mm	2380 x 233 mm
	Plank thickness			11,5 mm	13mm	10,5 mm	13 mm	13 mm	14 mm/15 mm	15 mm
	Composition 3-layer sandwich composition Middle layer Solid spruce-fir middle layer Top layer		3-layer sandwich composition	✓						✓
			Solid spruce-fir middle layer	✓			✓		√	✓
				ca. 2,5 mm	ca. 3,6mm	ca. 2,5 mm	ca. 3,6 mm	ca. 3,6mm	ca. 3 mm/4 mm	ca. 3,6 mm
	Swell protection	•	All-round lamella and top layer impregnation	~	✓	✓	✓	✓	✓	✓
	Click mechanism	L,	Automatic-Click® system with long-side and end-joint locking	~	·		✓	✓	✓	✓
			Allround-Click® system without the need for left and right-hand tongues			✓	-		_	-
	Underfloor heating		Suitable for installation on underfloor heating	✓	·	✓	~	✓	✓	~
			Individual look thanks to craftsmans- hip surface treatment				-		✓	

















Engineered wood flooring Surface structures



Elephant Skin
Wood features such as grains, knots and
cracks are accentuated and give the floor a
unique character.



Brushed texture
With stainless steel brushes the natural grain
of the wood is intensified and an authentic feel
is created.



Handscraped Individually hand-worked surface, which creates an original character by manual planing.



Handcrafted
A particularly soft and subtle variant among the surface structures, which combines all variants.



Sawn texture
Saw marks from a time when there were
no grinders are being recreated for an olde
worlde look.



Soft textureA deep, intensive brushing with soft transitions.

Engineered wood flooring Surface design



Untreated

Floors without surface treatment are suitable for individual refinement.



Lacquer

A noble, silky shiny lacquer surface offers optimum protection against dirt and stress.



White matt lacquer

In addition to matt lacquer: adjustment of colour and textural nuances in the wood by white colouring.



Matt lacquer

The protective natural matt appearance of oil treatment emphasises colour and texture.

Engineered wood flooring Surface design



Natural oil white

In addition to natural oil: adjustment of colour and textural nuances in the wood by white colouring.



Natural oil white plus

In addition to natural oil plus: adjustment of colour and textural nuances in the wood by white colouring.



Natural oil

The original character of the wood is brought out. Its own patina develops with optimal protection.



Natural oil plus

The special protection allows for a fuller feel with improved safety and performance for a home-ready floor.

Engineered wood flooring Grade



Select

Due to their harmonious structuring and fine colour nuances, extraordinary floor surfaces can be designed.



Natur
For a floor design with a natural but balanced overall effect, the Natur grade offers the best foundation.



Classic
The Classic grade boasts a vibrant range
between a harmonious, natural look and an
earthy look.




LivingThe Living assortment is characterised by vibrant looks and stresses the earthy character of the wood.



Rustikal
With a knotty appearance, pronounced colour scheme and distinct grain, the grade is particularly original.

Formats A customised sense of space

PARADOR



1,80 m

3-strip

Basic: 2200 x 185 x 11.5 mm

Classic: 2200 x 185 x 13 mm

Trendtime 6: 2200 x 185 x 13 mm

Wide plank in three formats

Trendtime 8: Trendtime 4: 2010 x 160 x 13 mm

Basic: 2200 x 185 x 11.5 mm

Classic: 2200 x 185 x 13 mm

Trendtime 6: 2200 x 185 x 13 mm

Extra-sized wideplank

Basic:

2380 x 233 x 11.5 mm

Formats A customised sense of space

PARADOR





Trendtime 3: 570 x 95 x 1.,5 mm

Trendtime 9: 2380 x 233 x 15 mm






Strip (Herringbone installation)

Accessories A sense of space with a system

PARADOR

We understand high-quality floors in a holistic way: the perfect interplay of all elements underlines the systemic principles that set Parador apart. Our accessories continue in the design and quality of the highquality line of engineered wood floors down to the last detail. Skirting boards, end caps, underlays and the perfect care make your floor what it really is: the stage of your life.



Skirting boards and caps
For the perfect finish



Underlays
Feel good
underfoot




Maintenance
For good care and reliable processing

Accessories Skirting boards and caps

PARADOR

Parador engineered wood flooring offers a wide range of optically matching skirting boards for a harmonious look for any wood surface. Alternatively, the colours of stainless steel, white and black or a primed surface for individual colour design enable the possibility of conscious accentuation.

Depending on the condition of the substrate (masonry), clip or glue joints can be used for optimum wall mounting. Parador skirting boards are prepared for easy installation: with a clip system or groove for adhesive mounting. Interior and exterior corners as well as end caps and transition caps hide saw cuts and make mitre cuts unnecessary. Simply perfect!





Accessories Profiles

PARADOR

Combine profiles from Parador, bridge and create finishes for a floor aesthetic that is perfect in every respect. Thanks to the patented swivel-joint technology, the profiles are particularly flexible in height. As transition profiles, combine high floor coverings and expansion joints. Adapting profiles are used for the transition between different high floor coverings. End profiles create clean borders with tiles or doors and stair edge profiles create reliable transitions at staircases.

Aluminium profiles

All four versions are offered as aluminium profiles in anodised silver or stainless steel. They ensure particularly successful transitions from room to room, while providing elegant and skilful accents.

Accessories Underlays

PARADOR

Parador offers the optimal solution for every application: the underlays smooth out minor unevenness and at the same time provide high compressive strength. With an integrated vapour barrier the right underlay ensures the required moisture protection in the case of mineral substrates. Whether a high-tech solution or pure natural product made of wood fibres: underlays from Parador really emphasise the quality of the floor covering.



Footfall sound / Ambient sound

Parador underlays offer footfall sound insulation in three stages – one, two or three shafts provide particularly effective footfall sound insulation.



Suitable for underfloor heating

Parador floors are optimally compatible with underfloor heating.



Moisture resistance

Parador underlays offer moisture resistance in two stages, which are marked with one drop or two drops (high protection).



Suitable for uneven substrates

Parador underlays compensate for unevenness and are recommended during renovation.



Compressive strength / dimensional stability Parador underlays are characterised by high dimensional stability and compressive strength in three stages – from 20,000 kg/m² above

45,000 kg/m² up to 50,000 kg/m².

































































